```
RRRRRRRRRRR      MMM          MMM     SSSSSSSSSSS
RRRRRRRRRRRR     MMM          MMM     SSSSSSSSSSSS
RRRRRRRRRRRR     MMM          MMM     SSSSSSSSSSSS
RRR         RRR  MMMMMM    MMMMMM   SSS
RRR         RRR  MMMMMM    MMMMMM   SSS
RRR         RRR  MMMMMM    MMMMMM   SSS
RRR         RRR  MMM  MMM  MMM  MMM  SSS
RRR         RRR  MMM  MMM  MMM  MMM  SSS
RRR         RRR  MMM  MMM  MMM  MMM  SSS
RRRRRRRRRRRR     MMM          MMM     SSSSSSSSS
RRRRRRRRRRRR     MMM          MMM     SSSSSSSSS
RRRRRRRRRRRR     MMM          MMM     SSSSSSSSS
RRR   RRR        MMM          MMM             SSS
RRR   RRR        MMM          MMM             SSS
RRR   RRR        MMM          MMM             SSS
RRR      RRR     MMM          MMM             SSS
RRR      RRR     MMM          MMM             SSS
RRR      RRR     MMM          MMM             SSS
RRR         RRR  MMM          MMM  SSSSSSSSSSS
RRR         RRR  MMM          MMM  SSSSSSSSSSS
RRR         RRR  MMM          MMM  SSSSSSSSSSS
```

```
RRRRRRRR    MM      MM    SSSSSSSS    000000     CCCCCCCC  LL          000000     SSSSSSSS  EEEEEEEEEE
RRRRRRRR    MM      MM    SSSSSSSS    000000     CCCCCCCC  LL          000000     SSSSSSSS  EEEEEEEEEE
RR      RR  MMMM  MMMM  SS          00      00  CC        LL        00      00  SS          EE
RR      RR  MMMM  MMMM  SS          00      00  CC        LL        00      00  SS          EE
RR      RR  MM  MM  MM  SS          00  0000  CC        LL        00      00  SS          EE
RR      RR  MM  MM  MM  SS          00  0000  CC        LL        00      00  SS          EE
RRRRRRRR    MM      MM    SSSSSS    00 00 00  CC        LL        00      00    SSSSSS    EEEEEEEE
RRRRRRRR    MM      MM    SSSSSS    00 00 00  CC        LL        00      00    SSSSSS    EEEEEEEE
RR   RR     MM      MM          SS  0000  00  CC        LL        00      00          SS  EE
RR   RR     MM      MM          SS  0000  00  CC        LL        00      00          SS  EE
RR    RR    MM      MM          SS  00    00  CC        LL        00      00          SS  EE                ....
RR    RR    MM      MM          SS  00    00  CC        LL        00      00          SS  EE                ....
RR      RR  MM      MM  SSSSSSSS    000000     CCCCCCCC  LLLLLLLLLL  000000     SSSSSSSS  EEEEEEEEEE    ....
RR      RR  MM      MM  SSSSSSSS    000000     CCCCCCCC  LLLLLLLLLL  000000     SSSSSSSS  EEEEEEEEEE    ....

LL            IIIIII      SSSSSSSS
LL            IIIIII      SSSSSSSS
LL              II      SS
LL              II      SS
LL              II      SS
LL              II      SS
LL              II        SSSSSS
LL              II        SSSSSS
LL              II              SS
LL              II              SS
LL              II              SS
LL              II              SS
LLLLLLLLLL    IIIIII    SSSSSSSS
LLLLLLLLLL    IIIIII    SSSSSSSS
```

Table of contents

```
0000     1          $BEGIN  RMSOCLOSE,000,RM$RMS,<DISPATCH FOR CLOSE OPERATION>
0000     2
0000     3 ;
0000     4 ;*****************************************************************************
0000     5 ;*                                                                           *
0000     6 ;*  COPYRIGHT (c) 1978, 1980, 1982, 1984 BY                                  *
0000     7 ;*  DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.                   *
0000     8 ;*  ALL RIGHTS RESERVED.                                                     *
0000     9 ;*                                                                           *
0000    10 ;*  THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED    *
0000    11 ;*  ONLY IN  ACCORDANCE WITH  THE  TERMS  OF  SUCH  LICENSE  AND WITH THE   *
0000    12 ;*  INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR  ANY  OTHER    *
0000    13 ;*  COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY    *
0000    14 ;*  OTHER PERSON.  NO TITLE TO AND OWNERSHIP OF  THE  SOFTWARE IS  HEREBY    *
0000    15 ;*  TRANSFERRED.                                                             *
0000    16 ;*                                                                           *
0000    17 ;*  THE INFORMATION IN THIS SOFTWARE IS  SUBJECT TO CHANGE WITHOUT NOTICE    *
0000    18 ;*  AND  SHOULD  NOT  BE  CONSTRUED AS  A COMMITMENT BY DIGITAL EQUIPMENT   *
0000    19 ;*  CORPORATION.                                                             *
0000    20 ;*                                                                           *
0000    21 ;*  DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE  OR  RELIABILITY OF ITS    *
0000    22 ;*  SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.                  *
0000    23 ;*                                                                           *
0000    24 ;*                                                                           *
0000    25 ;*****************************************************************************
0000    26 ;
```

```
0000     28 ;++
0000     29 ;
0000     30 ; Facility: rms32
0000     31 ;
0000     32 ; Abstract:
0000     33 ;                this module is the highest level control routine
0000     34 ;                to perform the $close function.
0000     35 ;
0000     36 ; Environment:
0000     37 ;                star processor running starlet exec.
0000     38 ;
0000     39 ; Author: L F Laverdure,          creation date: 1-MAR-1977
0000     40 ;
0000     41 ; Modified By:
0000     42 ;
0000     43 ;       V03-033 SHZ0010         Stephen H. Zalewski,    04-May-1984
0000     44 ;               Do not recreate address space in rm$unmap_gbl because
0000     45 ;               the space is now taken directly from P0 space.
0000     46 ;
0000     47 ;       V03-032 JEJ0011         J E Johnson             20-Mar-1984
0000     48 ;               Include global buffer quota accounting.
0000     49 ;
0000     50 ;       V03-031 JEJ0020         J E Johnson             28-Mar-1984
0000     51 ;               Correct multiple problems in RAS270.
0000     52 ;
0000     53 ;       V03-030 RAS0270         Ron Schaefer            14-Mar-1984
0000     54 ;               Remove the NAM block dependency for the SPL/SCF/DLT on
0000     55 ;               $CLOSE options.   Eliminate RM$CLOSE1.
0000     56 ;
0000     57 ;       V03-029 DGB0011         Donald G. Blair         01-Mar-1984
0000     58 ;               Change the way the ACP is called as part of the restructuring
0000     59 ;               necessary for access mode protected files.
0000     60 ;
0000     61 ;       V03-028 JWT0160         Jim Teague              29-Feb-1984
0000     62 ;               Remove calls to RM$DEALLEFN.
0000     63 ;
0000     64 ;       V03-027 SHZ0009         Stephen H. Zalewski     12-Sep-1983
0000     65 ;               Change the sense of a branch so that the NWA DOES get
0000     66 ;               deallocated during the close.
0000     67 ;
0000     68 ;       V03-026 SHZ0008         Stephen H. Zalewski     10-Aug-1983
0000     69 ;               Set a bit in the GBSB after we have decremented the accessor
0000     70 ;               count in the global buffer section (and possibly flushed the
0000     71 ;               cache as well) to prevent last chance
0000     72 ;               from decrementing the count again in the case where the
0000     73 ;               process gets stopped before we have completely cleaned up.
0000     74 ;
0000     75 ;       V03-025 SHZ0007         Stephen H. Zalewski     02-Aug-1983
0000     76 ;               If last accessor to a global buffer section, then zero
0000     77 ;               the global section size, and global buffer count fields
0000     78 ;               in the lock value block for the section.  This is to prevent
0000     79 ;               the case where the next accessor takes a lock before we
0000     80 ;               are done cleaning up, thus causing this subsequent accessor
0000     81 ;               to get incorrect data in the value block.
0000     82 ;
0000     83 ;       V03-024 KBT0567         Keith B. Thompson       28-Jul-1983
0000     84 ;               Check for the NWA pointer not the flag
```

```
0000     85 ;
0000     86 ;       V03-023 DAS0001         David Solomon           20-Jul-1983
0000     87 ;               IFB$V_JNL moved from IFB$B_JNLFLG to IFB$B_JNLFLG2.
0000     88 ;
0000     89 ;       V03-022 KPL0003         Peter Lieberwirth       20-Jun-1983
0000     90 ;               Correct commentary regarding AT journaling of $CLOSE.
0000     91 ;
0000     92 ;       V03-021 SHZ0006         Stephen H. Zalewski     20-Jun-1983
0000     93 ;               Add code for cluster global buffers.
0000     94 ;
0000     95 ;       V03-020 KPL0002         Peter Lieberwirth       31-May-1983
0000     96 ;               Write CLOSE mapping journal entry before buffers are
0000     97 ;               deallocated.
0000     98 ;
0000     99 ;       V03-019 KBT0520         Keith B. Thompson       23-May-1983
0000    100 ;               The routine RM$CHKNAMBLK no longer exist and remove
0000    101 ;               the RM$CLS_CHKNAM hack.
0000    102 ;
0000    103 ;       V03-018 KBT0509         Keith B. Thompson       5-May-1983
0000    104 ;               Use RM$DEALLOCATE_FWA
0000    105 ;
0000    106 ;       V03-017 KPL0001         Peter Lieberwirth       29-Apr-1983
0000    107 ;               Always look for IFAB journaling structures to deallocate.
0000    108 ;
0000    109 ;       V03-016 JWH0200         Jeffrey W. Horn         22-Mar-1983
0000    110 ;               Back out JWH0102, $CLOSE now allowed within an active
0000    111 ;               RU.
0000    112 ;
0000    113 ;       V03-015 KBT0457         Keith B. Thompson       10-Jan-1983
0000    114 ;               Deallocate fwa along with ifab.
0000    115 ;
0000    116 ;       V03-014 SHZ0005         Stephen H. Zalewski,    19-Oct-1982  16:32
0000    117 ;               Remove code that checks for corrupt gbd's in a global
0000    118 ;               buffer section.
0000    119 ;
0000    120 ;       V03-013 JWH0104         Jeffrey W. Horn         22-Sep-1982
0000    121 ;               Relocate calls to RM$MAPJNL, RM$DEAJNL to after deaccess.
0000    122 ;
0000    123 ;       V03-012 JWH0102         Jeffrey W. Horn         22-Sep-1982
0000    124 ;               If the file is in a recovery-unit then don't allow the user
0000    125 ;               to close the file.
0000    126 ;
0000    127 ;       V03-011 SHZ0004         Stephen H. Zalewski,    10-Sep-1982  17:04
0000    128 ;               Remove all references to SFD, SIFB and FRB as they no longer
0000    129 ;               exist.
0000    130 ;
0000    131 ;       V03-010 KBT0339         Keith B. Thompson       16-Sep-1982
0000    132 ;               Always try to deallocate the gbsb (i.e. take it out of unmap)
0000    133 ;
0000    134 ;       V03-009 SHZ0003         Stephen H. Zalewski,    7-Sep-1982  22:24
0000    135 ;               Add TEMPORARY code that checks for corruption of GBDs
0000    136 ;               in global buffer section.
0000    137 ;
0000    138 ;               Move dequeueing of global buffer section lock so that when
0000    139 ;               a global section is upmapped the lock is immediately dequeued.
0000    140 ;               This prevents a second process form initializing a new section
0000    141 ;               incorrectly.
```

```
0000    142 ;
0000    143 ;       V03-008 SHZ0002         Stephen H. Zalewski,    1-Sep-1982  15:37
0000    144 ;               If stream has global buffers, then dequeue the lock it
0000    145 ;               had on the global buffer section, and remove its GBSB.
0000    146 ;
0000    147 ;       V03-007 KBT0179         Keith B. Thompson       23-Aug-1982
0000    148 ;               Reorganize psects and rename entry point to single '$'
0000    149 ;
0000    150 ;       V03-006 KBT0110         Keith B. Thompson       16-Jul-1982
0000    151 ;               Deallocate the sfsb at a more appropiate time
0000    152 ;
0000    153 ;       V03-005 TMK0001         Todd M. katz            02-Jul-1982
0000    154 ;               Implement the RMS cluster solution for next record positioning.
0000    155 ;               As the next record context is now kept locally in the IRAB
0000    156 ;               instead of in individual NRP cells, there is no NRP list
0000    157 ;               to be returned.
0000    158 ;
0000    159 ;       V03-004 KDM0002         Kathleen D. Morse       28-Jun-1982
0000    160 ;               Added $PRDEF.
0000    161 ;
0000    162 ;       V03-003 JWH0002         Jeffrey W. Horn         19-May-1982
0000    163 ;               Add support for journaling;  Write out closing mapping entry
0000    164 ;               and then call RMSDEAJNL.
0000    165 ;
0000    166 ;       V03-002 SHZ0001         Stephen H. Zalewski,    8-Jun-1982  17:02
0000    167 ;               Remove instruction that cleared kernel mode flag after the
0000    168 ;               SIFAB was released (moved to RMOSHARE).
0000    169 ;
0000    170 ;--
```

```
                        .SBTTL  DECLARATIONS

;
; Macros:
;

                $BDBDEF
                $BLBDEF                         ; bucket lock block defs
                $DEVDEF
                $FABDEF
                $FIBDEF
                $FWADEF
                $GBDDEF
                $GBHDEF
                $GBPBDEF
                $GBSBDEF
                $IFBDEF
                $IMPDEF
                $IODEF                          ; io definitions
                $IRBDEF
                $LCKDEF
                $NAMDEF
                $PSLDEF                         ; psl definitions
                $RABDEF
                $RLBDEF                         ; record lock block defintions
                $RLSDEF
                $RMSDEF
                $SJCDEF

;
; Equated Symbols:
;

00000020        FOP=FAB$L_FOP*8
00000020        BKP=IRB$L_BKPBITS*8

;
; Own Storage:
;

000001FF        MASK    = ^X1FF                 ; mask for getting to page boundary
```

```
0000   215          .SBTTL  RMS$CLOSE, $CLOSE Routine
0000   216 ;++
0000   217 ;
0000   218 ; RMS$$CLOSE - highest level file close routine
0000   219 ;
0000   220 ;  this routine performs the highest level $close processing.
0000   221 ;  its functions include:
0000   222 ;
0000   223 ;       1. common setup
0000   224 ;       2. check for all streams idle, exiting if not
0000   225 ;       3. force a disconnect for all streams
0000   226 ;       4. dispatch to organization-dependent code
0000   227 ;       5. if the dlt fop bit is set and neither spl nor scf is set,
0000   228 ;          delete the file
0000   229 ;       6. return all bdb's and buffers
0000   230 ;       7. deaccess the file if accessed
0000   231 ;       8. return the asb and nwa (if any), the ifab, and all pages used for
0000   232 ;          rms internal structures for this file
0000   233 ;       9. zero the ifab table pointer and fab$w_ifi
0000   234 ;       10. exit to the user, generating an ast if requested
0000   235 ;
0000   236 ;
0000   237 ; Calling sequence:
0000   238 ;
0000   239 ;       entered from exec as a result of user's calling sys$close
0000   240 ;       (e.g., by using the $close macro).
0000   241 ;
0000   242 ; Input Parameters:
0000   243 ;
0000   244 ;       ap      user's argument list addr
0000   245 ;
0000   246 ; Implicit Inputs:
0000   247 ;
0000   248 ;       the contents of the fab and possible related user interface
0000   249 ;       blocks.
0000   250 ;
0000   251 ; Output Parameters:
0000   252 ;
0000   253 ;       r0      status code
0000   254 ;       r1      destroyed
0000   255 ;
0000   256 ; Implicit Outputs:
0000   257 ;
0000   258 ;       the ifab and all related internal rms structures are vaporized.
0000   259 ;       fab$l_sts and fab$l_stv are output and fab$w_ifi is zeroed if the
0000   260 ;       close was successful.
0000   261 ;
0000   262 ;       a completion ast is queued if so specified by the user.
0000   263 ;
0000   264 ; Completion Codes:
0000   265 ;
0000   266 ;       standard rms
0000   267 ;
0000   268 ; Side Effects:
0000   269 ;
0000   270 ;       none
0000   271 ;
```

```
                     0000   272 ;--
                     0000   273
                     0000   274          $ENTRY  RMS$CLOSE
                     0000   275          $TSTPT  CLOSE
FFF7'  30            0006   276          BSBW    RM$FSET                 ; do common setup
                     0009   277                                          ; note: does not return on error
                     0009   278
                     0009   279 ;++
                     0009   280 ;  force a disconnect on all streams
                     0009   281 ;
                     0009   282
   01    DD          0009   283          PUSHL   #1                      ; status code to stack
   3B    11          000B   284          BRB     NXTIRAB                 ; go check if any irabs linked
                     000D   285
                     000D   286 ;
                     000D   287 ;  do an effective bsb to the org-specific disconnect
                     000D   288 ;
                     000D   289 ;  note: this makes the fab look like a rab, but is of no consequence
                     000D   290 ;        since there are no rab inputs to the internal disconnect
                     000D   291 ;        and the only outputs are stv and isi (zeroed)
                     000D   292 ;
                     000D   293
                     000D   294          ASSUME  RAB$L_STV EQ FAB$L_STV
                     000D   295          ASSUME  RAB$W_ISI EQ FAB$W_IFI
                     000D   296          ASSUME  RAB$C_BLN LE FAB$C_BLN  ; (necessary for the re-probe on stall)
                     000D   297
                     000D   298 ;
                     000D   299 ;  must clear the async operation bit to avoid arglist copy to asb, set busy,
                     000D   300 ;  and initialize ppf_image bit correctly
                     000D   301 ;--
                     000D   302 ;
                     000D   303
                     000D   304 NXTDISC:
      0C    8A       000D   305          BICB    #<1@<IRB$V_ASYNC-BKP>>!<1@<IRB$V_PPF_IMAGE-BKP>>,-
   04 A9               000F   306                  IRB$L_BKPBITS(R9)
                     0011   307          SSB     #IRB$V_BUSY,(R9)        ; say rab busy
0A A9    57    90     0015   308          MOVB    R7,IRB$B_MODE(R9)       ; set mode into irab
04 6A    22    E1     0019   309          BBC     #IFB$V_PPF_IMAGE,(R10),10$ ; branch unless indirect ppf
                     001D   310          SSB     #IRB$V_PPF_IMAGE,(R9)   ; say irab accessed indirectly
   0280  8F    BB     0021   311 10$:     PUSHR   #^M<R7,R9>              ; save mode and irab addr
     36'AF     9F     0025   312          PUSHAB  B^NXTRTN                ; return pc to stack
                     0028   313          CASE    TYPE=B, SRC=IFB$B_ORGCASE(R10),-
                     0028   314                  DISPLIST=<RM$DISCONNECT1,RM$DISCOMMONSUC,RM$DISCONNECT3>
      FFCA'  31      0033   315          BRW     RM$DISCOMMONSUC         ; handle unknown org (blk i/o)
   0280  8F    BA     0036   316 NXTRTN: POPR    #^M<R7,R9>              ; restore mode and (deallocated irab addr
                     003A   317                                          ; (link still valid)
04 6A    22    E1     003A   318          BBC     #IFB$V_PPF_IMAGE,(R10),10$ ; branch unless indirect ppf
                     003E   319          CSB     #IRB$V_BUSY,(R9)        ; say irab not busy anymore
      03 50    E8     0042   320 10$:     BLBS    R0,NXTIRAB              ; branch if no error
   6E    50    D0     0045   321          MOVL    R0,(SP)                 ; replace status code
                     0048   322
                     0048   323          ASSUME  IFB$L_IRAB_LNK  EQ      IRB$L_IRAB_LNK
                     0048   324
                     0048   325 NXTIRAB:
59   1C A9    D0     0048   326          MOVL    IRB$L_IRAB_LNK(R9),R9   ; get next irab
                     004C   327
                     004C   328 ;*****
```

```
                                004C   329 ;
                                004C   330 ; note: the next irab link must still be good even though previous irab
                                004C   331 ;       is deallocated, since nothing else could have re-used the space.
                                004C   332 ;
                                004C   333 ;****
                                004C   334
                          BF    12  004C   335          BNEQ    NXTDISC                 ; loop if more irabs
                       59 5A    D0  004E   336          MOVL    R10,R9                  ; restore ifab address
                                0051   337
                                0051   338 ;++
                                0051   339 ;
                                0051   340 ;  get or of fab options that are input to either open/create or close
                                0051   341 ;
                                0051   342 ;--
                                0051   343
                    12 69 22    E0  0051   344          BBS     #IFB$V_PPF_IMAGE,(R9),10$ ; branch if indirect ppf
                                0055   345
                                0055   346          ASSUME  FAB$V_RWC+1     EQ      FAB$V_DMO
                                0055   347          ASSUME  FAB$V_DMO+1     EQ      FAB$V_SPL
                                0055   348          ASSUME  FAB$V_SPL+1     EQ      FAB$V_SCF
                                0055   349          ASSUME  FAB$V_SCF+1     EQ      FAB$V_DLT
                                0055   350
              51 68 05 2B EF    0055   351          EXTZV   #FAB$V_RWC+FOP,#5,(R8),R1 ; get option bits from fab
                                005A   352
                                005A   353          ASSUME  IFB$V_RWC+1     EQ      IFB$V_DMO
                                005A   354          ASSUME  IFB$V_DMO+1     EQ      IFB$V_SPL
                                005A   355          ASSUME  IFB$V_SPL+1     EQ      IFB$V_SCF
                                005A   356          ASSUME  IFB$V_SCF+1     EQ      IFB$V_DLT
                                005A   357
              50 69 05 27 EF    005A   358          EXTZV   #IFB$V_RWC,#5,(R9),R0   ; get saved ifab copies from $open
                 50 51 88       005F   359          BISB2   R1,R0                   ; or them together
              69 05 27 50 F0    0062   360          INSV    R0,#IFB$V_RWC,#5,(R9)   ; and restore in ifab flags
                                0067   361
                                0067   362 ;++
                                0067   363 ;
                                0067   364 ;  dispatch to organization-dependent close code
                                0067   365 ;
                                0067   366 ;  register state for dispatch:
                                0067   367 ;
                                0067   368 ;       r11     impure area address
                                0067   369 ;       r10     ifab address
                                0067   370 ;       r9      ifab address
                                0067   371 ;       r8      fab address
                                0067   372 ;       (sp)    return address
                                0067   373 ;       4(sp)   status code
                                0067   374 ;
                                0067   375 ;--
                                0067   376 ;
                                0067   377 ;       PUSHAB  B^CLSDLT                ; return pc to stack
                                0067   378 ;       CASE    TYPE=B,SRC=IFB$B_ORGCASE(R9),-
                                0067   379 ;       DISPLIST=<RM$NULL,RM$NULL,RM$CLOSE3> ; pick up correct routine
                                0067   380 ;       TSTL    (SP)+                   ; remove return pc for other orgs
                                0067   381 ;
                                0067   382 ;++
                                0067   383 ;
                                0067   384 ;  NOTE: Since there is only a special close routine for isam make life
                                0067   385 ;        a little simpler.  If the above code is ever used the call to
```

```
                     0067   386 ;          rm$close3 will have to be done through rm3face since the word
                     0067   387 ;          branch of the case will not reach the real rm$close3
                     0067   388 ;
                     0067   389 ;--
                     0067   390
 23 A9    02    91    0067   391 10$:     CMPB    #IFB$C_IDX,IFB$B_ORGCASE(R9)    ; Is this isam
          06    12    006B   392          BNEQ    CLSDLT                          ; Branch if not
00000000'EF    16    006D   393          JSB     RM$CLOSE3                       ; Do the close
                     0073   394
                     0073   395
```

```
                                                 0073   397
                                                 0073   398 ;++
                                                 0073   399 ;
                                                 0073   400 ;  return here from organization-dependent close routines
                                                 0073   401 ;
                                                 0073   402 ;--
                                                 0073   403 ;
                                                 0073   404 ; check for dlt fop bit set.
                                                 0073   405 ; if set and the spl and scf bits are clear, delete the file.
                                                 0073   406 ;
                                                 0073   407 ;--
                                                 0073   408
                47 69    2B    E1               0073   409 CLSDLT: BBC     #IFB$V_DLT,(R9),CLSCU1  ; branch if dlt not speced
                                                 0077   410
                                                 0077   411 ;
                                                 0077   412 ; if this is a network operation, do not process dlt option; it will be
                                                 0077   413 ; handled by network code during deaccess.
                                                 0077   414 ;
                                                 0077   415
                   69    0D    E0               0077   416         BBS     #DEV$V_NET,IFB$L_PRIM_DEV(R9),- ; branch if network operation
                         43                     007A   417                 CLSCU1
                                                 007B   418
                                                 007B   419         ASSUME  IFB$V_SCF       EQ      IFB$V_SPL+1
                                                 007B   420
             00    69    02    29    ED         007B   421         CMPZV   #IFB$V_SPL,#2,(R9),#0           ; spl and scf both 0?
                         3C    12               0080   422         BNEQ    CLSCU1                          ; branch if not
                   69    1C    E1               0082   423         BBC     #DEV$V_RND,IFB$L_PRIM_DEV(R9),- ; ignore if not disk
                         38                     0085   424                 CLSCU1
                   69    18    E0               0086   425         BBS     #DEV$V_FOR,IFB$L_PRIM_DEV(R9),- ; ignore if mntd foreign
                         34                     0089   426                 CLSCU1
                30 69    22    E0               008A   427         BBS     #IFB$V_PPF_IMAGE,(R9),CLSCU1    ; ignore if indirect ppf
                                                 008E   428
                                                 008E   429 ;
                                                 008E   430 ;       build fib for delete
                                                 008E   431 ;
                                                 008E   432
             5A    38 A9    D0                  008E   433 BLDFIB: MOVL    IFB$L_FWA_PTR(R9),R10   ; get FWA addr
             51    14 AA    D0                  0092   434         MOVL    FWA$Q_FIB+4(R10),R1     ; get FIB addr
             05 69    35    E0                  0096   435         BBS     #IFB$V_TMP,(R9),DELETE  ; branch if no directory entry
                                                 009A   436         SSB     #FIB$V_FINDFID,FIB$W_NMCTL(R1) ; indicate find via fid
                                                 009F   437                                        ; (0 fid => current file)
             50    0135 8F    3C                009F   438 DELETE: MOVZWL  #<IO$_DELETE!IO$M_DELETE>,R0 ; set i/o func code
                         7E    7C               00A4   439         CLRQ    -(SP)                   ; p6 = p5 = 0 for qio
                         7E    7C               00A6   440         CLRQ    -(SP)                   ; p4 = p3 = 0 for qio
                         7E    D4               00A8   441         CLRL    -(SP)                   ; p2 = 0 for qio
                      FF53'    30               00AA   442         BSBW    RMSFCPFNC               ; call acp to do the delete
                   0E 50       E8               00AD   443         BLBS    R0,CLSCU1               ; branch if okay
                                                 00B0   444         RMSERR  MKD,(SP)                ; replace error code
          0C A8    0C A9       D0               00B5   445         MOVL    IFB$L_IOS(R9),FAB$L_STV(R8) ; return system error code
                         02    11               00BA   446         BRB     CLSCUT                  ; return to common close
                                                 00BC   447
```

```
                     00BC    449          .SBTTL  RMSCLSCU, Cleanup IFAB and Exit RMS
                     00BC    450
                     00BC    451 ;++
                     00BC    452 ; RMSCLSCU - clean part of close operation for error paths
                     00BC    453 ;
                     00BC    454 ;  entry point to clean up on aborted $open or $create
                     00BC    455 ;  or successful $erase,$parse or other control routine
                     00BC    456 ;
                     00BC    457 ;--
                     00BC    458
                     00BC    459 RMSCLSCU::
           50    DD  00BC    460          PUSHL   R0                      ; save error code
                     00BE    461
                     00BE    462 ;
                     00BE    463 ;  close of indirectly opened process permanent file.
                     00BE    464 ;  need merely zero the ifi field.
                     00BE    465 ;
                     00BE    466
 09 69    22    E1  00BE    467 CLSCU1: BBC     #IFB$V_PPF_IMAGE,(R9),20$ ; branch if not indirect ppf
     02 A8    B4  00C2    468          CLRW    FAB$W_IFI(R8)
        50 8ED0  00C5    469          POPL    R0                         ; restore status code
      FF35'   31  00C8    470          BRW     RMSEXRMS                   ; all set
                     00CB    471
                     00CB    472 ;
                     00CB    473 ;       cleanup ifab and all associated structures
                     00CB    474 ;
                     00CB    475
        11    10  00CB    476 20$:    BSBB    RMSCLEANUP                 ; cleanup ifab and stuff
     03 50    E9  00CD    477          BLBC    R0,CLS_EX                  ; branch if cleanup error
        50 8ED0  00D0    478          POPL    R0
      FF2A'   31  00D3    479 CLS_EX: BRW     RMSEX_NOSTR                ; and do structureless exit
```

```
                     00D6   481          .SBTTL  RMSRETIFB, Return IFAB but Leave File Open
                     00D6   482
                     00D6   483 ;++
                     00D6   484 ;
                     00D6   485 ;       RMSRETIFB - evaporate internal structures but leave accessed
                     00D6   486 ;
                     00D6   487 ;       Entry point to leave file open for user but remove all rms
                     00D6   488 ;       knowledge of the file
                     00D6   489 ;
                     00D6   490 ; outputs:
                     00D6   491 ;
                     00D6   492 ;       r0 = status code
                     00D6   493 ;
                     00D6   494 ;--
                     00D6   495
                     00D6   496 RMSRETIFB::
 FA AF   9F          00D6   497          PUSHAB  B^CLS_EX                ; return address from cleanup
    50   DD          00D9   498          PUSHL   R0                      ; save status code
  0075   31          00DB   499          BRW     CLNJNL                  ; only return ifab, etc.
                     00DE   500                                          ; by jumping into cleanup
                     00DE   501
```

```
                     00DE    503          .SBTTL  RM$CLEANUP, Cleanup IFAB and Associated Storage
                     00DE    504
                     00DE    505 ;++
                     00DE    506 ;
                     00DE    507 ;       RM$CLEANUP - deallocate internal structures
                     00DE    508 ;
                     00DE    509 ;       Cleanup the ifab and its associated structures (bdb's, etc.)
                     00DE    510 ;       if an access has been done, a deaccess is performed.  any
                     00DE    511 ;       outstanding channels are deassigned.  the ifi entry in the
                     00DE    512 ;       ifab table is deleted.
                     00DE    513 ;
                     00DE    514 ; inputs:
                     00DE    515 ;
                     00DE    516 ;       r9 = ifab address
                     00DE    517 ;       r11 = impure area
                     00DE    518 ;
                     00DE    519 ; outputs:
                     00DE    520 ;
                     00DE    521 ;       r0 = status code
                     00DE    522 ;       r7 = caller's access mode
                     00DE    523 ;       ap = restored argument list pointer
                     00DE    524 ;
                     00DE    525 ;       (r7,ap are used as inputs to rm$ex_nostr)
                     00DE    526 ;--
                     00DE    527 ;
                     00DE    528
                     00DE    529 RM$CLEANUP::
                     00DE    530
                     00DE    531 ;
                     00DE    532 ;  preset status to be returned to caller
                     00DE    533 ;
                     00DE    534
          01    DD   00DE    535          PUSHL   #1                          ; preset status to return
                     00E0    536
          01    E1   00E0    537          BBC     #IFB$V_JNL,-                ; branch if no journaling or if an
    0C 00A2 C9       00E2    538                  IFB$B_JNLFLG2(R9),20$       ;  error turned journaling off
00000000'EF    16   00E6    539          JSB     RM$MAPJNL                   ; write out $CLOSE mapping entries
       03 50   E8   00EC    540          BLBS    R0,10$                      ; branch on success
       6E 50   D0   00EF    541          MOVL    R0,(SP)                     ; otherwise replace status code
                     00F2    542 10$:
                     00F2    543
                     00F2    544 ;
                     00F2    545 ;  return all buffers and bdb's
                     00F2    546 ;
                     00F2    547
         0148   30   00F2    548 20$:    BSBW    RM$RELEASALL
                     00F5    549
                     00F5    550 ;
                     00F5    551 ;  deaccess the file
                     00F5    552 ;
                     00F5    553
                     00F5    554 DEACCESS:
 22 69   25    E5   00F5    555          BBCC    #IFB$V_ACCESSED,(R9),10$ ; branch if file not accessed
      FF04'  30   00F9    556          BSBW    RM$DEACCESS                 ; do the deaccess
       03 50   E8   00FC    557          BLBS    R0,5$                       ; branch on success
       6E 50   D0   00FF    558          MOVL    R0,(SP)                     ; save error code
                     0102    559
```

```
                                0102    560 ;
                                0102    561 ; if this is a network operation, do not process scf and spl options by
                                0102    562 ; rm$closei; these will be handled by network code during deaccess.
                                0102    563 ;
                                0102    564
            15 69    0D    E0  0102    565 5$:     BBS     #DEV$V_NET,IFB$L_PRIM_DEV(R9),10$ ; branch if network operation
                                0106    566
                                0106    567         ASSUME  FAB$C_SEQ       EQ      0
                                0106    568
                23 A9    95     0106    569         TSTB    IFB$B_ORGCASE(R9)       ; sequential file org?
                   10    12     0109    570         BNEQ    10$                     ; branch if not
      00    69    02    29     ED  010B    571         CMPZV   #IFB$V_SPL,#2,(R9),#0   ; spl and scf both 0?
                   09    13     0110    572         BEQL    10$                     ; branch if so
                 00B6    30     0112    573         BSBW    RM$SPL_SCF              ; check for spool or submit
                03 50    E8     0115    574         BLBS    R0,10$                  ; branch on success
                   6E    50     D0  0118    575         MOVL    R0,(SP)                 ; save error code
                                011B    576
            1F 69    14    E0  011B    577 10$:    BBS     #DEV$V_MBX,IFB$L_PRIM_DEV(R9),CLSMLBX ; branch if mailbox
            25 69    05    E1  011F    578         BBC     #DEV$V_SQD,IFB$L_PRIM_DEV(R9),DEASSIGN ; branch if not magtape
                                0123    579
                                0123    580 ;
                                0123    581 ;   foreign magtape - write end of tape if ifb$v_eof is set
                                0123    582 ;                       rewind if rwc (rewind on close) is set
                                0123    583 ;
                                0123    584
                                0123    585 CLSMAGTAP:
            21 69    18    E1  0123    586         BBC     #DEV$V_FOR,IFB$L_PRIM_DEV(R9),DEASSIGN ; branch if not foreign
                 FED6'   30     0127    587         BSBW    RM$WTTAPMARK            ; write tape marks
                   18 50    E9  012A    588         BLBC    R0,DEASSIGN_ALT         ; go away if error
                                012D    589
            17 69    27    E1  012D    590         BBC     #IFB$V_RWC,(R9),DEASSIGN ; branch if no rewind
                   5A    DD  0131    591         PUSHL   R10                     ; rewind wants ifab in r10
               5A   59    D0  0133    592         MOVL    R9,R10                  ; r10 <- ifab
                 FEC7'   30     0136    593         BSBW    RM$REWIND_MT            ; do rewind
                   5A 8ED0     0139    594         POPL    R10                     ; restore r10
                   07    11     013C    595         BRB     DEASSIGN_ALT            ; join mainstream
                                013E    596
                                013E    597 ;
                                013E    598 ;   mail box - write end of file if write access was allowed
                                013E    599 ;
                                013E    600
                                013E    601 CLSMLBX:
      06 69    30    E1  013E    602         BBC     #IFB$V_WRTACC,(R9),DEASSIGN ; branch if no write
                 FEBB'   30     0142    603         BSBW    RM$WRITEOF              ; write end of file
                                0145    604
                                0145    605 DEASSIGN_ALT:
               6E   50    D0  0145    606         MOVL    R0,(SP)                 ; save status
                                0148    607
                                0148    608 ;
                                0148    609 ;  deassign i/o channel
                                0148    610 ;
                                0148    611
                                0148    612 DEASSIGN:
                                0148    613         $DASSGN_S       IFB$W_CHNL(R9)
                                0153    614
```

```
                                0153   616 ;
                                0153   617 ;  clean up journaling
                                0153   618 ;
                                0153   619
                                0153   620 CLNJNL:
00000000'EF   16                0153   621         JSB     RM$DEAJNL                       ; clean up journaling
      06 50   E8                0159   622         BLBS    R0,RETIFB                       ; branch on success
      03 6E   E9                015C   623         BLBC    (SP),RETIFB                     ; branch if code already error
   6E   50    D0                015F   624         MOVL    R0,(SP)                         ; otherwise replace status code
                                0162   625
                                0162   626 ;
                                0162   627 ;       Return the ifab, sfsb, asb, fwa(s) and nwa if any
                                0162   628 ;
                                0162   629
                                0162   630 RETIFB:
5C   18 A9    D0                0162   631         MOVL    IFB$L_ARGLST(R9),AP             ; restore arglist address
57   0A A9    9A                0166   632         MOVZBL  IFB$B_MODE(R9),R7               ; and caller's mode
      FE93'   30                016A   633         BSBW    RM$RLS_SFSB                     ; clean up sfsb if any
      3C A9   D5                016D   634         TSTL    IFB$L_NWA_PTR(R9)               ; check for nwa
        03    13                0170   635         BEQL    10$                             ; branch if nwa not present
      FE8B'   30                0172   636         BSBW    NT$NWA_FREE                     ; deallocate nwa
54   14 A9    D0                0175   637 10$:    MOVL    IFB$L_ASBADDR(R9),R4            ; get asb addr
        09    13                0179   638         BEQL    20$                             ; branch if none
   53   5B    D0                017B   639         MOVL    R11,R3                          ; ifab asb came from imp. free space header
      FE7F'   30                017E   640         BSBW    RM$RETBLK                       ; deallocate asb
      14 A9   D4                0181   641         CLRL    IFB$L_ASBADDR(R9)               ; clear pointer
      FE79'   30                0184   642 20$:    BSBW    RM$DEALLOCATE_FWA               ; deallocate fwa and related structures
   53   59    7D                0187   643         MOVQ    R9,R3                           ; ifab addr to right regs for retblk
      FE73'   30                018A   644         BSBW    RM$RETBLK                       ; deallocate ifab
                                018D   645
                                018D   646 ;
                                018D   647 ;       Return the pages used for all internal structures
                                018D   648 ;
                                018D   649
            5A   08   C2        018D   650         SUBL2   #8,R10                          ; get start of page addr
            54   6A   D0        0190   651         MOVL    (R10),R4                        ; get 1st hole (there must be
                                0193   652                                                 ; at least 1 hole for ifab)
            56   64   D0        0193   653 40$:     MOVL    (R4),R6                         ; get next free space hole
000001F8 8F    08 A4   D1        0196   654         CMPL    8(R4),#504                      ; all holes should now be equal
                                019E   655                                                 ;  to one page in length
                                019E   656                                                 ; (less list head if page 1)
              12   1F            019E   657         BLSSU   ERRBUG                          ; branch if not
         FE5D'   30             01A0   658         BSBW    RM$RET1PAG                      ; return it
            54   56   D0        01A3   659         MOVL    R6,R4                           ; get set to return next page
            5A   56   D1        01A6   660         CMPL    R6,R10                          ; all done?
                 E8   12        01A9   661         BNEQ    40$                             ; loop if not
                                01AB   662
                                01AB   663 ;
                                01AB   664 ;       Zero ifi and ifab table pointer
                                01AB   665 ;
                                01AB   666
         FE52'   30             01AB   667         BSBW    RM$ZAPIFI                       ; zero ifi and ifab table entry
           50 8ED0              01AE   668         POPL    R0                              ; return status to caller
                 05             01B1   669         RSB                                     ; return to caller
                                01B2   670
                                01B2   671 ;
                                01B2   672 ;       Attempted to return an ifab-related page having some
```

```
01B2    673 ;       non-deallocated block(s) in it
01B2    674 ;
01B2    675
01B2    676 ERRBUG: RMSTBUG FTL$_DEALLERR
01B9    677
```

```
01B9    679          .SBTTL  RM$SPL_SCF - $CLOSE routine for spool/submit options
01B9    680
01B9    681 ;++
01B9    682 ; RM$SPL_SCF - specific close code for the SPL and SCF FOP options
01B9    683 ;
01B9    684 ;  This routine performs the spl and scf options, and if set (either on
01B9    685 ;  $open/$create or on $close), sends a message to the job controller to
01B9    686 ;  queue the file to the sys$print or sys$batch queues respectively.
01B9    687 ;  If both spl and scf are set, scf takes precedence.  The dlt fop sub-option
01B9    688 ;  is passed on to the job controller.
01B9    689 ;
01B9    690 ;  The overall flow of the routine is as follows:
01B9    691 ;
01B9    692 ;       1. build the dvi, did and fid fields from the fwa onto the stack.
01B9    693 ;       2. allocate a buffer on the stack to build the item list for the job
01B9    694 ;          controller.
01B9    695 ;       3. fill the queue name in the appropriate item; the job controller will
01B9    696 ;          translate either SYS$PRINT or SYS$BATCH.
01B9    697 ;       4. point an item at the dvi, did, fid copy on th stack
01B9    698 ;       5. fill in the delete option if required.
01B9    699 ;       6. send the message to the job controller with a function code of
01B9    700 ;          sjc$_queue.
01B9    701 ;
01B9    702 ; Calling sequence:
01B9    703 ;
01B9    704 ;       BSBW    RM$SPL_SCF
01B9    705 ;
01B9    706 ; Input Parameters:
01B9    707 ;
01B9    708 ;       r10     ifab address
01B9    709 ;       r9      ifab address
01B9    710 ;       r8      fab address
01B9    711 ;
01B9    712 ; Implicit Inputs:
01B9    713 ;
01B9    714 ;       the contents of the ifab (especially ifb$v_spc, scf, and dlt)
01B9    715 ;       the contents of the fwa (especially fwa$q_shrfil and fwa$t_fibbuf)
01B9    716 ;
01B9    717 ; Output Parameters:
01B9    718 ;
01B9    719 ;       r1-r7   destroyed
01B9    720 ;       r0      status code
01B9    721 ;
01B9    722 ; Implicit Outputs:
01B9    723 ;
01B9    724 ;       fab$l_stv is set to subsidiary error code on an error.
01B9    725 ;
01B9    726 ; Completion Codes:
01B9    727 ;
01B9    728 ;       standard rms, in particular, spl.
01B9    729 ;
01B9    730 ; Side Effects:
01B9    731 ;
01B9    732 ;       none
01B9    733 ;
01B9    734 ; Note: no need to check that PPF_IMAGE not set since can't get here if so.
01B9    735 ;
```

```
                                01B9    736 ; Job controller item list is currently 10 longwords
                                01B9    737 ; long - for three items and terminator
                                01B9    738 ;
                                01B9    739 ;--
                                01B9    740
                                01B9    741 ;
                                01B9    742 ; Own Storage:
                                01B9    743 ;
                                01B9    744
      54 4E 49 52 50 24 53 59 53 01B9    745 SYSPRINT:       .ASCII  /SYS$PRINT/
                        00000009 01C2    746 SYSPRINT_LEN    =       .-SYSPRINT
                                01C2    747
      48 43 54 41 42 24 53 59 53 01C2    748 SYSBATCH:       .ASCII  /SYS$BATCH/
                        00000009 01CB    749 SYSBATCH_LEN    =       .-SYSBATCH
                                01CB    750
                        0000001C 01CB    751 ID_SIZE         = 16 + 6 + 6            ; DVI + DID + FID
                                01CB    752
                                01CB    753 RM$SPL_SCF::
                                01CB    754
                                01CB    755 ;
                                01CB    756 ; Allocate DVI_DID_FID buffer on stack and fill it in.
                                01CB    757 ;
                                01CB    758
                   5E   1C   C2 01CB    759         SUBL2   #<ID_SIZE>,SP
               57   38 A9   D0 01CE    760         MOVL    IFB$[_FWA_PTR(R9),R7    ; get FWA ptr
           50   0190 C7   7D 01D2    761         MOVQ    FWA$Q_SHRFIL(R7),R0     ; get DVI description
                6E   50   90 01D7    762         MOVB    R0,(SP)                 ; make it ASCIC
   01 AE   0F   00   61   50   2C 01DA    763         MOVC5   R0,(R1),#0,#15,1(SP)    ; copy dvi and fill to 16 bytes
                                01E1    764
                                01E1    765         ASSUME  FIB$W_FID+6 EQ FIB$W_DID
                                01E1    766
      63   01F8 C7   0C   28 01E1    767         MOVC3   #<6+6>,FWA$T_FIBBUF+FIB$W_FID(R7),(R3)
                                01E7    768                                 ; copy did and fid
                52   5E   D0 01E7    769         MOVL    SP,R2               ; remember addr of dvi_did_fid blk
                                01EA    770                                 ; R3 points to cleaned-off SP
                                01EA    771
                                01EA    772 ;
                                01EA    773 ; Build the job controller item list
                                01EA    774 ;
                                01EA    775
                   7E   D4 01EA    776         CLRL    -(SP)               ; end-of-list flag
             08 69   2B   E1 01EC    777         BBC     #IFB$V_DLT,(R9),10$ ; branch if no delete requested
                   7E   7C 01F0    778         CLRQ    -(SP)               ; no retlen or addr
         00180000 8F   DD 01F2    779         PUSHL   #SJC$_DELETE_FILE@16    ; delete flag
                                01F8    780                                 ; and zero bufflen
                                01F8    781
                                01F8    782 ;
                                01F8    783 ; Now, point to the dvi_did_fid block to identify the file
                                01F8    784 ;
                                01F8    785
                   7E   D4 01F8    786 10$:    CLRL    -(SP)               ; no retlen
                   52   DD 01FA    787         PUSHL   R2                  ; addr of block
         0027001C 8F   DD 01FC    788         PUSHL   #<<SJC$_FILE_IDENTIFICATION@16>+ID_SIZE> ; item type
                                0202    789                                 ; and fill in size of identification
                                0202    790
                                0202    791 ;
                                0202    792 ; Fill in the initial item, which indicates to the job controller that a file is
```

```
                     0202    793 ; to be queued to either SYS$PRINT or SYS$BATCH.
                     0202    794 ;
                     0202    795
                     0202    796         ASSUME  SYSPRINT_LEN    EQ      SYSBATCH_LEN
                     0202    797
          7E   D4    0202    798         CLRL    -(SP)                   ; no retlen
 05 69    2A   E0    0204    799         BBS     #IFB$V_SCF,(R9),20$     ; branch if submit command file
       AE   AF   DF  0208    800         PUSHAL  B^SYSPRINT              ; point to queue name string
       03   11       020B    801         BRB     30$                     ; do next item
       B2   AF   DF  020D    802 20$:    PUSHAL  B^SYSBATCH              ; point to queue name
00860009   8F   DD  0210    803 30$:    PUSHL   #<<SJC$_QUEUE@16>+SYSPRINT_LEN> ; indicate function
                     0216    804                                         ;  and fill in length of queue name
                     0216    805
       51   5E   D0  0216    806         MOVL    SP,R1                   ; addr of itemlist
                     0219    807
                     0219    808 ;
                     0219    809 ; Call the job controller.
                     0219    810 ;
                     0219    811
                     0219    812         $SNDJBC_S -
                     0219    813                 EFN     = #IMP$C_ASYQIOEFN,-    ; throw-away event flag
                     0219    814                 FUNC    = #SJC$_ENTER_FILE,-    ; function
                     0219    815                 ITMLST  = (R1)          ; item list
                     022D    816
       5E   53   D0  022D    817         MOVL    R3,SP                   ; clean stack
          09   50   E8  0230    818         BLBS    R0,40$                  ; exit on error
 0C A8    50   D0  0233    819         MOVL    R0,FAB$L_STV(R8)        ; save jobctl status
                     0237    820         RMSERR  SPL                     ; and report error
                05   023C    821 40$:    RSB
                     023D    822
```

```
                                023D   824          .SBTTL  RM$RELEASALL, Release all BDB's
                                023D   825
                                023D   826 ;++
                                023D   827 ; RM$RELEASALL - release bdb's and buffers
                                023D   828 ;
                                023D   829 ;  Subroutine to release all bdb's and their associated buffers.
                                023D   830 ;  Assumes dirty buffers will not be found.
                                023D   831 ;  Also return all BLB's.
                                023D   832 ;
                                023D   833 ;  inputs:
                                023D   834 ;       r11     impure area address
                                023D   835 ;       r9      ifab address
                                023D   836 ;       r8      fab address
                                023D   837 ;
                                023D   838 ;  outputs:
                                023D   839 ;       r10     ifab address
                                023D   840 ;       r0-r6   destroyed
                                023D   841 ;--
                                023D   842 ;
                                023D   843 ;  return all buffers and bdb's
                                023D   844 ;
                                023D   845 ;--
                                023D   846
                                023D   847 RM$RELEASALL::
          5A   59    D0         023D   848          MOVL    R9,R10                          ; make sure r10 = ifab addr
     56    40 AA    DE         0240   849          MOVAL   IFB$L_BDB_FLNK(R10),R6          ; get bdb list head
          54   66    D0         0244   850 10$:     MOVL    (R6),R4                         ; get 1st bdb in list
          56   54    D1         0247   851          CMPL    R4,R6                           ; back at list head?
               1E    13         024A   852          BEQL    30$                             ; branch if yes - all done
51 0A A4       01    E0         024C   853          BBS     #BDB$V_DRT, BDB$B_FLGS(R4), DRTBUG ; Don't expect to find dirt.
          0C   A4    B5         0251   854          TSTW    BDB$W_USERS(R4)                 ; use count nonzero?
               03    12         0254   855          BNEQ    20$                             ; no, go release bdb
          0C   A4    B6         0256   856          INCW    BDB$W_USERS(R4)                 ; make it look accessed
           FDA4'     30         0259   857 20$:     BSBW    RM$RLNERR                       ; go release it and free buffer.
                               025C   858
                               025C   859          ASSUME  BDB$B_BID       EQ      GBPB$B_BID
                               025C   860          ASSUME  <BDB$C_BID&1>   EQ      0
                               025C   861          ASSUME  <GBPB$C_BID&1>  EQ      1
                               025C   862
     05 08   A4    E8         025C   863          BLBS    BDB$B_BID(R4), 25$              ; br if gbpb.
           FD9D'     30         0260   864          BSBW    RM$RETBDB                       ; return the bdb
               DF    11         0263   865          BRB     10$                             ; keep going until all gone.
           FD98'     30         0265   866 25$:     BSBW    RM$RETGBPB                      ; return gbpb.
               DA    11         0268   867          BRB     10$                             ; keep going
                               026A   868
                               026A   869          ASSUME  IFB$W_AVGBPB    EQ      <IFB$W_AVLCL + 2>
                               026A   870
          0084 CA    D4         026A   871 30$:     CLRL    IFB$W_AVLCL(R10)                ; Note all buffers gone.
     2C   6A    33    E0         026E   872          BBS     #IFB$V_NORECLK, (R10), RA_EX ; All done if no locking.
56   0098 CA    DE         0272   873          MOVAL   IFB$L_BLBFLNK(R10), R6          ; Get list head for BLB's.
          54   66    D0         0277   874 40$:     MOVL    (R6), R4                        ; Get next BLB.
          56   54    D1         027A   875          CMPL    R4, R6                          ; Back at list head?
               12    13         027D   876          BEQL    CHKGBL                          ; All done then.
          24   A4    D5         027F   877          TSTL    BLB$L_LOCK_ID(R4)               ; This one still locked?
               08    13         0282   878          BEQL    45$                             ; EQL no lock, so just return it.
           FD79'     30         0284   879          BSBW    RM$RLNER1                       ; Release the lock first.
54   009C CA    D0         0287   880          MOVL    IFB$L_BLBBLNK(R10), R4          ; Recover BLB address.
```

```
                FD71'  30   028C    881 45$:     BSBW    RM$RETBLB                       ; Return the BLB.
                  E6   11   028F    882          BRB     40$                             ; Go get next one.
                       0291    883
            0088 CA    D5   0291    884 CHKGBL:  TSTL    IFB$L_GBH_PTR(R10)              ; Are global buffers present?
                  07   13   0295    885          BEQL    RA_EX                           ; No, we are done.
                FD66'  30   0297    886          BSBW    RM$RAISE_GBS_LOCK               ; Get EX lock on global section.
                  DD   10   029A    887          BSBB    RM$RELEASE_GBL_BUFFERS          ; Release and cleanup global buffers.
                  6E   10   029C    888          BSBB    RM$UNMAP_GBL                    ; Disassociate from section.
                FD5F'  30   029E    889 RA_EX:   BSBW    RM$RLS_GBSB                     ; Deallocate the GBSB if any (also release l
                       05   02A1    890          RSB
                            02A2    891
                            02A2    892 DRTBUG:  RMSTBUG FTL$_RLSDRT                     ;  A dirty buffer has been left
                            02A9    893                                                  ;   behind by someone.
                            02A9    894
```

```
                        02A9    896 ;++
                        02A9    897 ;
                        02A9    898 ; RMSRELEASE_GBL_BUFFERS
                        02A9    899 ;
                        02A9    900 ; This routine decrements the access count for the global buffer section.
                        02A9    901 ; If the access count goes to zero, then all cached buffers are released by
                        02A9    902 ; dequeuing the system lock for each buffer, and the system file lock is
                        02A9    903 ; also released.
                        02A9    904 ;
                        02A9    905 ; As a part of releasing the system lock on a buffer, we also give back the
                        02A9    906 ; quota used when that lock was first converted.  Notice that if this routine
                        02A9    907 ; is called as part of a $CLOSE operation then there exists a non-closeable
                        02A9    908 ; hole in which we can give back the quota and have the process deleted before
                        02A9    909 ; dequeing the lock.  This will have the effect of increasing the global
                        02A9    910 ; buffer quota by one.  The reverse can occur during conversion to the system
                        02A9    911 ; lock in RMORELEAS.
                        02A9    912 ;
                        02A9    913 ; Note: This routine assumes that an EX lock has already been taken on the
                        02A9    914 ;       global section.
                        02A9    915 ;
                        02A9    916 ; Inputs:
                        02A9    917 ;
                        02A9    918 ; R10 - Address of ifab.
                        02A9    919 ;
                        02A9    920 ; Outputs:
                        02A9    921 ;
                        02A9    922 ; none
                        02A9    923 ;
                        02A9    924 ;--
                        02A9    925 RMSRELEASE_GBL_BUFFERS::
      7E    53    7D  02A9    926          MOVQ    R3,-(SP)                ; Save registers.
54    0088  CA    D0  02AC    927          MOVL    IFB$L_GBH_PTR(R10),R4   ; Get address of global section in R4.
  53    7C  AA    D0  02B1    928          MOVL    IFB$L_GBSB_PTR(R10),R3  ; Get gbsb address in R3.
            01    E0  02B5    929          BBS     #GBSB$M_NOTACCESSED,-   ; If set then access count is already decrem
        07  0B  A3        02B7    930                  GBSB$B_FLAGS(R3), 5$    ;  go check access count (we are in last cha
            1C  A4    D7  02BA    931          DECL    GBH$L_OSECNT(R4)        ; Decrement accessor count.
            01  88    8D  02BD    932          BISB2   #GBSB$M_NOTACCESSED,-   ; Set bit in GBSB saying accessor count
                0B  A3        02BF    933                  GBSB$B_FLAGS(R3)        ;  has been decremented (for last chance)
            1C  A4    D5  02C1    934 5$:      TSTL    GBH$L_OSECNT(R4)        ; Test accessor count.
                42    12  02C4    935          BNEQ    DONE                    ; Exit if not last accessor.
                        02C6    936 ;
            53    54    D0  02C6    937          MOVL    R4,R3                   ; Move address of section into R3.
            53    63    C0  02C9    938 10$:     ADDL2   (R3),R3                 ; Get address to next GBD element.
            54    53    D1  02CC    939          CMPL    R3,R4                   ; Are we back at queue header?
                1F    13  02CF    940          BEQL    RLS_FILE_LOCK           ; Yes, go release system file lock.
              14  A3    D5  02D1    941          TSTL    GBD$L_LOCK_ID(R3)       ; Is this buffer cached?
                F3    13  02D4    942          BEQL    10$                     ; No, go to next GBD.
00000000'9F     01    58  02D6    943          ADAWI   #1,@#RMS$GW_GBLBUFQUO    ; Give the buffer back to the quota ctr
                        02DD    944          $DEQ_S  LKID = GBD$L_LOCK_ID(R3); DEQ the system lock on buffer.
              14  A3    D4  02EB    945          CLRL    GBD$L_LOCK_ID(R3)       ; Mark this GBD as gone.
                D9    11  02EE    946          BRB     10$                     ; Go to next GBD.
                        02F0    947 ;
                        02F0    948 RLS_FILE_LOCK:
                        02F0    949          $DEQ_S  LKID = GBH$L_LOCK_ID(R4); $DEQ system file lock.
                        02FE    950 ;
  54    7C  AA    D0  02FE    951          MOVL    IFB$L_GBSB_PTR(R10),R4  ; Get address of GBSB.
            38  A4    D4  0302    952          CLRL    GBSB$L_GS_SIZE(R4)      ; Zero all fields in lock value
```

```
                34 A4   B4  0305   953           CLRW    GBSB$W_GBC(R4)          ; block.
                                0308   954
            53  BE   7D  0308   955 DONE:       MOVQ    (SP)+,R3                ; Restore registers.
                      05  030B   956           RSB
                          030C   957
```

```
                     030C   959 ;++
                     030C   960 ;
                     030C   961 ; RMSUNMAP_GBL
                     030C   962 ;
                     030C   963 ; This routine deletes the specified address range for the purpose of
                     030C   964 ; un-mapping from a global section that has been used for i/o buffers.
                     030C   965 ;
                     030C   966 ; Note: This routine assume an EX lock is already held on the global section.
                     030C   967 ;
                     030C   968 ; Inputs:
                     030C   969 ;
                     030C   970 ; R0 - start address of range. (alt. entry pt.)
                     030C   971 ; R1 - end address of range. (alt. entry pt.)
                     030C   972 ; R10 - ifab address
                     030C   973 ;
                     030C   974 ; Outputs:
                     030C   975 ;
                     030C   976 ; Destroys R0 - R2.
                     030C   977 ;
                     030C   978 ;--
                     030C   979 RMSUNMAP_GBL::
   50    0088 CA   D0  030C   980         MOVL    IFB$L_GBH_PTR(R10),R0   ; Put address of global section in R0.
51   50     10 A0   C1  0311   981         ADDL3   GBH$L_GS_SIZE(R0),R0,R1 ; End addr of sec + 1
             51   D7  0316   982         DECL    R1                      ; End addr of section.
                     0318   983
                     0318   984 RMSUNMAP_GBL_ALT::
          7E   50   7D  0318   985         MOVQ    R0, -(SP)               ; Save range on stack.
          52   5E   D0  031B   986         MOVL    SP, R2                  ; Remember that address.
                     031E   987         $DELTVA_S INADR=(R2)             ; Delete the VA.
          50   8E   7D  0328   988         MOVQ    (SP)+, R0               ; Return address array.
               05   32E   989         RSB                             ; And return.
                     032F   990
                     032F   991         .END
```

```
$$.PSECT_EP                     = 00000000
$$RMSTEST                       = 0000001A
$$RMS_PBUGCHK                   = 00000010
$$RMS_TBUGCHK                   = 00000008
$$RMS_UMODE                     = 00000004
$$T1                            = 00000001
BDB$B_BID                       = 00000008
BDB$B_FLGS                      = 0000000A
BDB$C_BID                       = 0000000C
BDB$V_DRT                       = 00000001
BDB$W_USERS                     = 0000000C
BKP                             = 00000020
BLB$L_LOCK_ID                   = 00000024
BLDFIB                            0000008E R      01
CHKGBL                            00000291 R      01
CLNJNL                            00000153 R      01
CLSCU1                            000000BE R      01
CLSDLT                            00000073 R      01
CLSMAGTAP                         00000123 R      01
CLSMLBX                           0000013E R      01
CLS_EX                            000000D3 R      01
DEACCESS                          000000F5 R      01
DEASSIGN                          00000148 R      01
DEASSIGN_ALT                      00000145 R      01
DELETE                            0000009F R      01
DEV$V_FOR                       = 00000018
DEV$V_MBX                       = 00000014
DEV$V_NET                       = 0000000D
DEV$V_RND                       = 0000001C
DEV$V_SQD                       = 00000005
DONE                              00000308 R      01
DRTBUG                            000002A2 R      01
ERRBUG                            000001B2 R      01
FAB$C_BLN                       = 00000050
FAB$C_SEQ                       = 00000000
FAB$L_FOP                       = 00000004
FAB$L_STV                       = 0000000C
FAB$V_DLT                       = 0000000F
FAB$V_DMO                       = 0000000C
FAB$V_RWC                       = 0000000B
FAB$V_SCF                       = 0000000E
FAB$V_SPL                       = 0000000D
FAB$W_IFI                       = 00000002
FIB$V_FINDFID                   = 0000000B
FIB$W_DID                       = 0000000A
FIB$W_FID                       = 00000004
FIB$W_NMCTL                     = 00000014
FOP                             = 00000020
FTL$_DEALLERR                   = FFFFFFEF
FTL$_RLSDRT                     = FFFFFFD8
FWA$Q_FIB                       = 00000010
FWA$Q_SHRFIL                    = 00000190
FWA$T_FIBBUF                    = 000001F4
GBD$L_LOCK_ID                   = 00000014
GBH$L_GS_SIZE                   = 00000010
GBH$L_LOCK_ID                   = 00000014
GBH$L_USECNT                    = 0000001C
GBPB$B_BID                      = 00000008
GBPB$C_BID                      = 00000015
GBSB$B_FLAGS                    = 0000000B
GBSB$L_GS_SIZE                  = 00000038
GBSB$M_NOTACCESSED              = 00000001
GBSB$W_GBC                      = 00000034
ID_SIZE                         = 0000001C
IFB$B_JNLFLG2                   = 000000A2
IFB$B_MODE                      = 0000000A
IFB$B_ORGCASE                   = 00000023
IFB$C_IDX                       = 00000002
IFB$L_ARGLST                    = 00000018
IFB$L_ASBADDR                   = 00000014
IFB$L_BDB_FLNK                  = 00000040
IFB$L_BLBBLNK                   = 0000009C
IFB$L_BLBFLNK                   = 00000098
IFB$L_FWA_PTR                   = 00000038
IFB$L_GBH_PTR                   = 00000088
IFB$L_GBSB_PTR                  = 0000007C
IFB$L_IOS                       = 0000000C
IFB$L_IRAB_LNK                  = 0000001C
IFB$L_NWA_PTR                   = 0000003C
IFB$L_PRIM_DEV                  = 00000000
IFB$V_ACCESSED                  = 00000025
IFB$V_DLT                       = 0000002B
IFB$V_DMO                       = 00000028
IFB$V_JNL                       = 00000001
IFB$V_NORECLK                   = 00000033
IFB$V_PPF_IMAGE                 = 00000022
IFB$V_RWC                       = 00000027
IFB$V_SCF                       = 0000002A
IFB$V_SPL                       = 00000029
IFB$V_TMP                       = 00000035
IFB$V_WRTACC                    = 00000030
IFB$W_AVGBPB                    = 00000086
IFB$W_AVLCL                     = 00000084
IFB$W_CHNL                      = 00000020
IMP$C_ASYQIOEFN                 = 0000001F
IO$M_DELETE                     = 00000100
IO$_DELETE                      = 00000035
IRB$B_MODE                      = 0000000A
IRB$L_BKPBITS                   = 00000004
IRB$L_IRAB_LNK                  = 0000001C
IRB$V_ASYNC                     = 00000023
IRB$V_BUSY                      = 00000020
IRB$V_PPF_IMAGE                 = 00000022
MASK                            = 000001FF
NT$NWA_FREE                       ********    X   01
NXTDISC                           0000000D R      01
NXTIRAB                           00000048 R      01
NXTRTN                            00000036 R      01
PIO$A_TRACE                       ********    X   01
RAB$C_BLN                       = 00000044
RAB$L_STV                       = 0000000C
RAB$W_ISI                       = 00000002
RA_EX                             0000029E R      01
RETIFB                            00000162 R      01
```

```
RLS_FILE_LOCK                   000002F0 R      01
RMSBUG                          ********   X    01
RMSCLEANUP                      000000DE RG     01
RMSCLOSE3                       ********   X    01
RMSCLSCU                        000000BC RG     01
RMSDEACCESS                     ********   X    01
RMSDEAJNL                       ********   X    01
RMSDEALLOCATE_FWA               ********   X    01
RMSDISCOMMONSDC                 ********   X    01
RMSDISCONNECT1                  ********   X    01
RMSDISCONNECT3                  ********   X    01
RMSEXRMS                        ********   X    01
RMSEX_NOSTR                     ********   X    01
RMSFCPFNC                       ********   X    01
RMSFSET                         ********   X    01
RMSMAPJNL                       ********   X    01
RMSRAISE_GBS_LOCK               ********   X    01
RMSRELEASALL                    0000023D RG     01
RMSRELEASE_GBL_BUFFERS          000002A9 RG     01
RMSRET1PAG                      ********   X    01
RMSRETBDB                       ********   X    01
RMSRETBLB                       ********   X    01
RMSRETBLK                       ********   X    01
RMSRETGBPB                      ********   X    01
RMSRETIFB                       000000D6 RG     01
RMSREWIND_MT                    ********   X    01
RMSRLNER1                       ********   X    01
RMSRLNERR                       ********   X    01
RMSRLS_GBSB                     ********   X    01
RMSRLS_SFSB                     ********   X    01
RMSSPL_SCF                      000001CB RG     01
RMSUNMAP_GBL                    0000030C RG     01
RMSUNMAP_GBL_ALT                00000318 RG     01
RMSWRITEOF                      ********   X    01
RMSWTTAPMARK                    ********   X    01
RMSZAPIFI                       ********   X    01
RMS$CLOSE                     = FFFFFFFE RG     01
RMS$GW_GBLBUFQUO                ********   X    01
RMS$_MRD                      = 0001C032
RMS$_SPL                      = 0001C042
SJC$_DELETE_FILE              = 00000018
SJC$_ENTER_FILE               = 00000013
SJC$_FILE_IDENTIFICATION      = 00000027
SJC$_QUEUE                    = 00000086
SYS$DASSGN                      ********  GX    01
SYS$DELTVA                      ********  GX    01
SYS$DEQ                         ********  GX    01
SYS$SNDJBC                      ********  GX    01
SYSBATCH                        000001C2 R      01
SYSBATCH_LEN                  = 00000009
SYSPRINT                        000001B9 R      01
SYSPRINT_LEN                  = 00000009
TPT$L_CLOSE                     ********   X    01
```

Psect synopsis

PSECT name	Allocation	PSECT No.	Attributes
. ABS .	00000000 (0.)	00 (0.)	NOPIC USR CON ABS LCL NOSHR NOEXE NORD NOWRT NOVEC BYTE
RM$RMS	0000032F (815.)	01 (1.)	PIC USR CON REL GBL NOSHR EXE RD NOWRT NOVEC BYTE
ABS	00000000 (0.)	02 (2.)	NOPIC USR CON ABS LCL NOSHR EXE RD WRT NOVEC BYTE

Performance indicators

Phase	Page faults	CPU Time	Elapsed Time
Initialization	31	00:00:00.09	00:00:00.95
Command processing	110	00:00:00.71	00:00:04.85
Pass 1	593	00:00:25.51	00:01:00.17
Symbol table sort	0	00:00:03.95	00:00:05.79
Pass 2	173	00:00:04.85	00:00:09.28
Symbol table output	21	00:00:00.22	00:00:00.74
Psect synopsis output	2	00:00:00.02	00:00:00.02
Cross-reference output	0	00:00:00.00	00:00:00.00
Assembler run totals	932	00:00:35.36	00:01:21.91

The working set limit was 1950 pages.
140168 bytes (274 pages) of virtual memory were used to buffer the intermediate code.
There were 140 pages of symbol table space allocated to hold 2678 non-local and 29 local symbols.
991 source lines were read in Pass 1, producing 17 object records in Pass 2.
48 pages of virtual memory were used to define 47 macros.

Macro library statistics

Macro library name	Macros defined
_255DUA28:[RMS.OBJ]RMS.MLB;1	24
_255DUA28:[SYS.OBJ]LIB.MLB;1	2
_255DUA28:[SYSLIB]STARLET.MLB;2	17
TOTALS (all libraries)	43

2890 GETS were required to define 43 macros.

There were no errors, warnings or information messages.

```
MACRO/LIS=LIS$:RMSOCLOSE/OBJ=OBJ$:RMSOCLOSE MSRC$:RMSOCLOSE/UPDATE=(ENH$:RMSOCLOSE)+EXECML$/LIB+LIB$:RMS/LIB
```

RM0FSCN
LIS

RM3XALLO
LIS

RM0CONN
LIS

RM0ENTER
LIS

RM0ERASE
LIS

RM0CREAT
LIS

RM0DELET
LIS

RM0FIND
LIS

RM3XSUMO
LIS

RM0DISPL
LIS

RM3XKEYO
LIS

RM0GET
LIS

RM0CLOSE
LIS

RM0DISC
LIS

RM0EXTEN
LIS

RM0BLKIO
LIS